

Message

---

**From:** Peterson, Cynthia [Peterson.Cynthia@epa.gov]  
**Sent:** 7/13/2015 7:33:32 PM  
**To:** Chalfant, Mark [Chalfant.Mark@epa.gov]; Parker, Robert [Parker.Robert@epa.gov]; Cirian, Mike [Cirian.Mike@epa.gov]; Wilder, Scott [Wilder.Scott@epa.gov]  
**Subject:** Map  
**Attachments:** AA\_SiteFeatures.pdf

Hi, All.

We discussed having a few copies of the site map available at the open house. This is the best one I have. Do you think this will be useful, or do you have another version you think would work better.

Thanks!

Cynthia Peterson  
Community Involvement Coordinator  
Public Affairs and Community Involvement  
U.S. Environmental Protection Agency, Region VIII  
1595 Wynkoop St. (8OC-PAI)  
Denver, CO 80202-1129  
303-312-6879 -- direct dial

---

**From:** Parker, Robert  
**Sent:** Wednesday, May 27, 2015 1:31 PM  
**To:** Chalfant, Mark; Cirian, Mike  
**Cc:** Wilder, Scott; Peterson, Cynthia  
**Subject:** FW: Revised figure

Hi Mark and Mike –

Will this fit your needs for the SOW/AOC? We renamed it and put today's date on as well as it's a new figure.

Let me know if you have any other suggested edits.

Rob

---

**From:** Blanchard, Mark R. [<mailto:M.Blanchard@WestonSolutions.com>]  
**Sent:** Wednesday, May 27, 2015 1:25 PM  
**To:** Parker, Robert  
**Subject:** RE: Revised figure

Rob,

John was able to fit this in today. Let me know if this provides you with what you need. If not, there would still be time to adjust it before the end of day tomorrow.

Thanks,  
Mark

**Mark Blanchard**  
[m.blanchard@westonsolutions.com](mailto:m.blanchard@westonsolutions.com)

*Weston Solutions, Inc.*  
*1435 Garrison St, Ste 100*  
*Lakewood, CO 80215*  
*303.729.6114 -office*  
*303.882.2083 - cell*  
[www.westonsolutions.com](http://www.westonsolutions.com)

---

**From:** Parker, Robert [<mailto:Parker.Robert@epa.gov>]  
**Sent:** Wednesday, May 27, 2015 10:19 AM  
**To:** Blanchard, Mark R.  
**Subject:** RE: Revised figure

Thanks Mark for the update. I appreciate it. This sounds good.

Thanks,  
Rob

---

**From:** Blanchard, Mark R. [<mailto:M.Blanchard@WestonSolutions.com>]  
**Sent:** Wednesday, May 27, 2015 10:17 AM  
**To:** Parker, Robert  
**Subject:** RE: Revised figure

Rob,

John said he can make the edits tomorrow morning. He's actually there at your office for meetings today. He estimated about an hour to do the work so we should be able to turn this around for you in time for your submittal tomorrow afternoon.

Thanks,  
Mark

**Mark Blanchard**  
[m.blanchard@westonsolutions.com](mailto:m.blanchard@westonsolutions.com)

*Weston Solutions, Inc.*  
*1435 Garrison St, Ste 100*  
*Lakewood, CO 80215*  
*303.729.6114 -office*  
*303.882.2083 - cell*  
[www.westonsolutions.com](http://www.westonsolutions.com)

---

**From:** Parker, Robert [<mailto:Parker.Robert@epa.gov>]  
**Sent:** Wednesday, May 27, 2015 9:45 AM  
**To:** Blanchard, Mark R.  
**Subject:** RE: Revised figure

Thanks for requesting the clarification.

We also want to remove the surface water monitoring locations.

Thanks,  
Rob

---

**From:** Blanchard, Mark R. [mailto:[M.Blanchard@WestonSolutions.com](mailto:M.Blanchard@WestonSolutions.com)]  
**Sent:** Wednesday, May 27, 2015 9:43 AM  
**To:** Parker, Robert  
**Subject:** Revised figure

Rob,

Quick question – you said we need to remove the monitoring wells. Do you also want to remove the surface water monitoring locations or do you want to keep those?

Thanks,  
Mark

**Mark Blanchard**  
[m.blanchard@westonsolutions.com](mailto:m.blanchard@westonsolutions.com)

*Weston Solutions, Inc.*  
*1435 Garrison St, Ste 100*  
*Lakewood, CO 80215*  
*303.729.6114 -office*  
*303.882.2083 - cell*  
[www.westonsolutions.com](http://www.westonsolutions.com)

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.